



Industrial Cylinder Valve



NINGBO FUHUA VALVE CO., LTD.
HANGZHOU SIAN TRADING CO., LTD.

T: +86 571 8682 1786

F: +86 571 8823 3026

E: sales@sianvalve.com

A: 19/F, Minghao Building, 1688 Binsheng Road, Binjiang District,
Hangzhou, Zhejiang Province, P.R. China 310052.

www.sianvalves.com / www.fuhua-valve.com

2023-10




Gas Flow Control Expert



HISTORY



- 1992 > Ningbo Fuhua Valve Co., Ltd founded
- 1994 > First China valve company exported to overseas market
- 1995 > Certification of ISO9001 and ISO14001
- 2007 > Annual turnover reached 100 million RMB
- 2008 > Granted National special equipment license
- 2011 > National high-tech enterprise awarded
- 2013 > High-tech enterprise R&D center authorized
- 2015 > Mayor Quality Prize
- 2016 > U.S. R&D center established
- 2018 > National Science and Technology Progress Award
- 2020 > Annual output 20 million units
- 2021 > Annual output 22 million units



FUHU SIAN, VALVE LEADER

MAIN EQUIPMENTS



• Automatic Press Forging Machine



• High-precision CNC Machine




• Automatic CNC Machine for brass Valve




• Automatic Cleaning Equipment





- R&D centers in U.S. and China.
- Our customers all around the world




SiAN (Fuhua) produces various Industrial Gas Valves, Medical CGA Valves, Special Gas Valves, Liquefied Petroleum Gas Valves, and Fire Extinguisher Valves, with an annual output of 20 million units.



HISTORY



- 1992 > Ningbo Fuhua Valve Co., Ltd founded
- 1994 > First China valve company exported to overseas market
- 1995 > Certification of ISO9001 and ISO14001
- 2007 > Annual turnover reached 100 million RMB
- 2008 > Granted National special equipment license
- 2011 > National high-tech enterprise awarded
- 2013 > High-tech enterprise R&D center authorized
- 2015 > Mayor Quality Prize
- 2016 > U.S. R&D center established
- 2018 > National Science and Technology Progress Award
- 2020 > Annual output 20 million units
- 2021 > Annual output 22 million units



FUHU SIAN, VALVE LEADER

MAIN EQUIPMENTS



• Automatic Press Forging Machine



• High-precision CNC Machine




• Automatic CNC Machine for brass Valve




• Automatic Cleaning Equipment





- R&D centers in U.S. and China.
- Our customers all around the world



SiAN (Fuhua) produces various Industrial Gas Valves, Medical CGA Valves, Special Gas Valves, Liquefied Petroleum Gas Valves, and Fire Extinguisher Valves, with an annual output of 20 million units.

OXYGEN CYLINDER VALVES



Flapper Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2	08-853-736	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8-14RH-EXT	20.25-22.5MPa
	08-853-736A						
	08-853-736S						



Flapper Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2C	08-855-731A	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8	N/A
QF-2C	08-855-712		15MPa		PZ27.8		
QF-2C	08-855-733		15MPa		PZ27.8		
QF-2C1	08-855-729		15MPa		PZ19.2	W21.8*1/14	
QF-2C7	08-855-725		16.67MPa		PZ27.8		
QF-2C7	08-855-735		15MPa		PZ27.8		
QF-2C8	08-855-727		20MPa		PZ27.8		
QF-2C9	08-855-732		15MPa		3/4-14NGT		
QF-2C10	08-855-734		15MPa		W19.8*1/14		



Needle Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2C	08-855-733	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8	N/A



Needle Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2D	08-857-710	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8-14-RH-INT	N/A
QF-7	08-857-707						
QF-7B	08-857-705						

OXYGEN CYLINDER VALVES



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2G	08-852-700	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8-14RH-INT	N/A



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2G1	08-852-705	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8-14RH-EXT	20.25-22.5MPa
	08-852-721		20MPa				30±1.5MPa
	08-852-754		15MPa				20.25-22.5MPa



Diaphragm Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-21	08-858-702	O ₂ /Air/N ₂	15MPa	Φ2	PZ19.2	W21.8-14-RH-EXT	20.25-22.5MPa



Diaphragm Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-21A	08-858-703	O ₂ /Air/N ₂	15MPa	Φ2	PZ19.2	W21.8-14-RH-EXT	N/A
	08-805-704						
	08-858-707						

OXYGEN CYLINDER VALVES



Flapper Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-5	08-853-756	O ₂ /Air/N ₂	20MPa	Φ4	PZ27.8	G5/8-14RH-EXT	28±2MPa



Flapper Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-6A	08-856-711	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8-14-RH-EXT	N/A
QF-6A1	08-856-709		15MPa		BS341 1"		
QF-6A6	08-856-743		20MPa		PZ27.8		
QF-6A	08-856-732		15MPa		PZ27.8		
QF-6A	08-856-73X		20MPa		PZ27.8		



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-7D2	08-855-733	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8-14RH-EXT	N/A
	08-857-712		15MPa		PZ27.8		
	08-857-711		15MPa		BS341 1"		
	08-857-715		20MPa		BS341 1"		
	08-857-716		15MPa		BS341 1"		
	08-857-713		15MPa		BS341 1"		



Flapper Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-35D	08-852-702	O ₂ /Air/N ₂	15MPa	Φ2	M25*2-6g	G5/8-14RH-EXT	20.25-22.5MPa
QF-35D2	08-852-757	O ₂ /Air/N ₂	20MPa	Φ2	M18*1.5	G5/8-14RH-EXT	30±1.5MPa



Flapper Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
CGA350	08-853-757	O ₂ /Air/N ₂	15MPa	Φ4	3/4-14NGT	0.825-14NGO-LH-EXT	20.25-22.5MPa
CGA350A	08-853-742				PZ27.8		
CGA540A	08-853-781				3/4-14NGT	0.903-14NGO-RH-EXT	
CGA540B	08-853-758				PZ27.8		
CGA540G	08-853-775				3/4-16UNF		
CGA540B4	08-853-791		20MPa		PZ27.8	30±1.5MPa	



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
MA2-10	08-852-764	O ₂ /Air/N ₂	15MPa	Φ4	PZ27.8	G5/8-INT	20.25-22.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
MA2-10	08-852-764B	O ₂ /Air/N ₂	15MPa	Φ4	3/4-16UNF	G5/8-INT	20.25-22.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
CGA870-2A3	08-859-700	O ₂	15MPa	Φ1.5	3/4-16UNF	NO.870(CGA V-1)	23±1.5MPa
CGA870B	08-859-705		15MPa				23±1.5MPa
CGA870B1	08-859-706		20MPa				27±3MPa
CGA870B2	08-859-709		15MPa				N/A

CARBON DIOXIDE CYLINDER VALVES



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2A	08-805-758	CO ₂	15MPa	Φ6	PZ27.8	G5/8-14-RH-EXT	20.25-22.5MPa
QF-2A	08-805-716	CO ₂	15MPa	Φ6	PZ27.8	G5/8-14-RH-EXT	20.25-22.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2A	08-805-755	CO ₂	15MPa	Φ6	PZ27.8	G5/8-14-RH-EXT	20.25-22.5MPa
QF-2A	08-805-735				W19.8*1/14	W21.8-14-RH-EXT	
QF-2A1	08-805-736				PZ27.8	W22*1/14	
QF-2A2	08-805-724				PZ27.8	0.825-14NGO-LH-EXT	
QF-2A4	08-805-715				G1/2	G5/8-14-RH-EXT	
QF-2A5	08-805-744				PZ27.8	W21.8-14-RH-EXT	28.5-31.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-2A8	08-805-721	CO ₂	15MPa	Φ6	BS314 1"	W21.8-14-RH-EXT	20.25-22.5MPa
	08-805-722				PZ27.8		
	08-805-723				BS314 1"		
	08-805-734				PZ27.8		
	08-805-751				PZ27.8		
							28.5-31.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-35C	08-805-720	CO ₂	15MPa	Φ4	1.125-12UNF	G1/2-14-RH-EXT	20.25-22.5MPa
	08-805-727					0.825-14NGO-RH-EXT	
	08-805-730					0.825-14NGO-LH-EXT	
	08-805-733					W21.8-14-RH-EXT	
	08-805-746					0.825-14NGO-RH-EXT	19±1.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
CGA320	08-805-725	CO ₂	15MPa	Φ4	PZ27.8	0.825-14NGO-RH	20.25-22.5MPa
CGA320A	08-805-726			Φ4	3/4-16UNF		
CGA320B	08-805-737			Φ6	3/4-14NGT		



Residual Pressure Valve

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
RPV-GV6	08-805-766	CO ₂	15MPa	Φ6	25E	G5/8	20.25-22.5MPa
RPV-GV6	08-805-766A	CO ₂	20MPa	Φ6	25E	G5/8	30±1.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
MA2-11	08-8 05-705	CO ₂	15MPa	Φ4	PZ27.8	W21.8*1/14	20.25-22.5MPa



Movable Flap Type



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	08-805-799	CO ₂	20MPa	Φ4.2	17E	W21.8*1/14	25-27.5MPa

CARBON DIOXIDE CYLINDER VALVES

Soda Valve



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	08-823-716	CO ₂	20MPa	Φ3	M18*1.5	Tr21*4	25-27.5MPa
	08-823-716C	CO ₂	20MPa	Φ3	M18*1.5	Tr21*4	25-27.5MPa
	08-823-720	CO ₂	20MPa	Φ3	M18*1.5	Tr21*4	25-27.5MPa

Soda Valve Adapter



	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	98-015-046	CO ₂	20MPa		Φ20	Tr21*4	N/A

Marine CO₂ Cylinder Valve



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	09-280-752	CO ₂	15MPa	Φ12	PZ27.8	M22*1.5	19-22.2MPa
	09-280-758			Φ12	25E	W21.8*1/14	20±1.5MPa
	09-280-703			Φ11	W28.8*1/14		
	09-280-704			Φ12	25E		
	09-280-713			Φ12	3/4-14NGT		
	09-280-770			Φ11	25E		19-22.2MPa

Marine CO₂ Cylinder Valve



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	09-280-800	CO ₂	15MPa	Φ12	PZ27.8	M27*1.5	18.6±1MPa

REFRIGERANT CYLINDER VALVES

Refrigerant Cylinder Valve



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-13B	08-804-744	HF0-1234YF	3MPa	Φ4	PZ27.8	W21.8x1/14-LH	3.9-4.4MPa

Movable Flap Type




Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-13C1	08-804-708	Freon	3MPa	Φ7	PZ27.8	G3/4-14-RH-EXT	N/A

Diaphragm Type



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	08-804-757	Freon	4MPa	Φ5	3/4-14NPT	7/16-20UNF	4.2±0.2MPa

Axial Type



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	08-804-700	Freon	3.2MPa	Φ4	25E	7/16-20UNF	4.2±0.4MPa
	08-804-701			Φ4	3/4-14NPT	7/16-20UNF	
	08-804-704			Φ5	3/4-14NPT	1/2-16Acme-RH	
	08-804-705			Φ5	3/4-14NPT	1/2-16Acme-RH	

OTHER GAS CYLINDER VALVES



Axial Type



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	08-812-701A	CH ₄	20MPa	Φ6	3/4-14NGT	1/4-18NPT-INT	30 ^{±3} MPa
	08-812-702	CO ₂			25E(M10*0.75)	W21.8-14-RH-EXT	25-27.5MPa
	08-812-703				25E	W21.8-14-RH-EXT	25 ^{+0.18 -0.12} MPa
	08-812-704				25E	G1/2-14-RH-EXT	25-27.5MPa
	08-812-705				25E	G3/4-14-RH-EXT	
	08-812-707				25E(M10*1)	W21.8-14-RH-EXT	



Axial Type



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	08-802-770	Ar	20MPa	Φ4	25E(M10*0.75)	W21.8-14-RH-EXT	N/A
	08-802-771	N ₂			25E(M10*0.75)	W24.32-14-RH-EXT	
	08-802-773	N ₂			25E(M10*0.75)	W21.8-14-RH-EXT	
	08-802-782	N ₂			25E(M10*1)	W24.32-14-RH-EXT	
	08-802-775	He			25E(M10*1)	W21.8-14-RH-EXT	
	08-802-777	CO ₂			25E(M10*1)	W21.8-14-RH-EXT	
	08-802-778	O ₂			25E(M10*1)	W21.8-14-RH-EXT	
	08-802-780	O ₂			3/4-14NGT	W21.8-14-RH-EXT	
	08-802-785	O ₂			25E(M10*1)	G3/4-14-RH-EXT	
	08-802-779	Inert Gas			25E(M10*1)	W24.32-14-RH-EXT	



Coupling Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
PX-32A	08-803-715	Ar	15MPa	Φ4	PZ27.8	G5/8-14-RH-EXT	N/A
PX-32A1	08-803-725		15MPa			W21.8-14-RH-EXT	
PX-32A2	08-803-735		20MPa			G5/8-14-RH-EXT	
PX-32A5	08-803-748		15MPa			G1/2-14-RH-EXT	



Coupling Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
PX-32A	08-803-720	Ar	15MPa	Φ4	PZ27.8	G5/8-14-RH-EXT	N/A



Diaphragm Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
CGA580	08-803-723	N ₂	15MPa	Φ4	3/4-14NGT	0.965-14NGO-RH-INT	3360PSI
CGA580A	08-803-738	Ar	15MPa	Φ4	3/4-14NGT		20.25-22.5MPa
CGA580D	08-803-724	Ar	15MPa	Φ4	PZ27.8		20.25-22.5MPa



Axial Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
GV-5	08-905-704A	N ₂ /Ar/He	20MPa	Φ4	25E	G5/8	N/A
	08-905-2704A	N ₂ /Ar/He					
	08-905-704B	O ₂					



Residual Pressure Valve

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
RPV-GV6	08-850-786A	N ₂ /Ar/He	20MPa	Φ4	25E	G5/8	N/A
RPV-GV6	08-850-786B	H ₂	20MPa	Φ4	25E	W21.8-1/14-LH	N/A



Residual Pressure Valve

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
RPV-GV6	08-850-788	N ₂ /Ar/He	20MPa	Φ4	25E	G5/8-INT	N/A

OTHER GAS CYLINDER VALVES



Needle Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-10	08-860-709	Cl ₂	2MPa	Φ6	PZ27.8	G3/4	N/A
	08-860-700		2MPa			G3/4-14-RH-EXT	
	08-860-702		3MPa				



Diaphragm Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-90A	08-880-710	High Pure Gas	15MPa	Φ4	PZ27.8	G5/8-14-RH-EXT	N/A
QF-90A5	08-880-711		15MPa			G5/8-14-LH-EXT	
QF-90A1	08-880-712		20MPa			G5/8-14-RH-EXT	
QF-90D	08-880-703		15MPa			W21.8-14-LH-EXT	



Movable Flap Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-30	08-832-704	H ₂	15MPa	Φ4	PZ27.8	W21.8-14-LH-EXT	N/A
QF-30E	08-832-706		20MPa				
QF-30D	08-832-707		15MPa		PZ19.2		



Absorption Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
BWF-1	08-870-701	Propane	2.5MPa	Φ7	PZ27.8	W22*15-LH-INT	2.8-3.4MPa



Needle Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-15	08-841-700	C ₂ H ₂	3MPa	Φ4	PZ39	POST TYPE	Fusible Alloy 100±5 C
	08-841-712						N/A
	08-841-713						



Needle Type

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-36B	08-841-732	C ₂ H ₂	3MPa	Φ4	PZ39	POST TYPE	Fusible Alloy 100±5 C



Nitrous Oxide Valve

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	98-015-039	N ₂ O	10MPa		M10*1-6g	M11*1-6g	20.5±1.5MPa



Nitrous Oxide Valve

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
	98-015-032A	N ₂ O	10MPa		M10*1-6g	M11*1-6g	N/A


NATURAL GAS VALVES



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-T1B	08-881-740	CNG	20MPa	Φ6	PZ27.8	1/4-18NPT-INT	30-33MPa 110±5 C
	08-881-717			Φ5			



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-T1X	08-881-724	CNG	20MPa	Φ5	PZ27.8	1/4-18NPT-INT	30-33MPa 110±5 C
	08-881-734						



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-T1H	08-882-701	CNG	20MPa	Φ5	G1/2	M12×1-INT	N/A
QF-T1H2	08-882-713						
QF-T1H2	08-882-757						
QF-T1H2	08-882-777						



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-9T	08-886-703	CNG	20MPa	Φ4	W28.8*1/14	M12*1-INT	30-33MPa 110±5 C
	08-886-725				W28.8*1/14		
	08-886-704				1.125-12UNF		
	08-886-729				3/4-14NGT		
	08-886-730				3/4-14NGT		

NATURAL GAS VALVES



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
CTF-1	08-886-716	CNG	20MPa	Φ6	PZ27.8	1/4-18NPT-INT	30-33MPa 110±5 C
	08-886-706					1/4-18NPT-INT	
	08-886-708					M12*1	



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-T3H4	08-882-750	CNG	20MPa	Φ4	Φ12	Φ6	N/A
	08-882-731					M12*1-INT	
	08-882-767					Φ6	
	08-882-771					M12*1, G1/4	



Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-5T	08-882-783	CNG	20MPa	Φ5	PZ27.8	W21.8*1/14-LH	30-33MPa 110±5 C



CNG Valve

Model	Produce ID	Medium	WP(MPa)	Nominal Diameter (mm)	Inlet Thread	Outlet Thread	Safety Device
QF-5T	08-882-730	CNG	20MPa	Φ5	PZ27.8	W21.8-14-LH-EXT	30-33MPa 110±5 C
QF-5TA	08-882-727			Φ6			
QF-5TB	08-882-74X			Φ5			